

Oral presentation

Open Access

## Client evaluation of assisted outpatient treatment services

Gerlinde Berghofer<sup>1,2</sup>

Address: <sup>1</sup>Kuratorium für Psychosoziale Dienste Wien, Gonzagagasse 15, 1010 Wien, Austria and <sup>2</sup>Webster University, Berchtoldgasse 1, 1220 Wien, Austria  
from WPA Thematic Conference. Coercive Treatment in Psychiatry: A Comprehensive Review  
Dresden, Germany. 6–8 June 2007

Published: 19 December 2007

*BMC Psychiatry* 2007, **7**(Suppl 1):S87 doi:10.1186/1471-244X-7-S1-S87

This abstract is available from: <http://www.biomedcentral.com/1471-244X/7/S1/S87>

© 2007 Berghofer; licensee BioMed Central Ltd.

### Background

Complementing the view of treatment professionals and health care experts, the perspective of mentally ill patients themselves on the treatment they receive is a relevant factor in mental health care. Today, the satisfaction of these patients with their treatment is seen as a central aspect of service quality. Patient satisfaction has become an important component of psychiatric mental health care evaluation: satisfaction with services and treatment can determine such important treatment aspects as continuity and outcome. However, the impact of compulsory community treatment on patients' satisfaction with their treatment is unclear.

### Methods

This research addresses this question, focusing on how perceived coercion into treatment influences patients' satisfaction with treatment services. It first compares treatment satisfaction of (a) patients committed to outpatient treatment and (b) patients in regular voluntary outpatient treatment. This research then examines the role of satisfaction in treatment (dis)continuity, and whether psychiatric patients who are generally satisfied with their treatment continue treatment more than do dissatisfied psychiatric patients. Finally, this research examines systematic associations between patient satisfaction and psychotic symptoms, violent behavior, and perceived stigma of mental illness.